		SAFETY DATA SHEET		
BATTERY 6V120Ah				
Date:	01.01.2023	Revision date:	Page/pages 1/7	

SECTION 1: Identification of the substance/product and of the company/undertaking

1.1. Product identifier

Product name:

BATTERY 6V120Ah

The product consist group of chemical substances.

Technical data:

Chemical System: Zink - Air Alkaline

Nominal Voltage: 6V Nominal Capacity: 120 Ah

Nominal Dimension: 75 mm x 159 mm x 130 mm

Terminals: spiral spring Battery box: plastic Average Weight: 1750 g Volume: 1,55 dm3

Warning: Under normal conditions of use, the battery is hermetically sealed. Do not

short circuit the battery!!!

1.2. Relevant identified uses of the product and uses advised against

Professional and consumer - used to electrical devices.

1.3. Details of the supplier of the safety data sheet

Systemix Sp. z o.o. ul. Lubichowska 176 A 83-200 Starogard Gdański tel.: :+48 (58) 561 48 13

fax: :+48 (58) 561 48 13|(58) 561 48 14 e-mail: biuro@systemix.com.pl

1.4. Emergency telephone number

+48 (58) 561 48 13

SECTION 2: Hazards identification

2.1. Classification of the product

Warning: Under normal conditions of use, the battery is hermetically sealed.

Product has been constructed in such a way as not to pose any hazard to the user. But we can not exclude a situation of stress, resulting from damage to the product. Classification is concerned with the risks of the product ingredients, in the absence constituents (hazardous substances forming the battery), escaped in an uncontrolled manner to the surrounding environment or come into direct contact with living organisms in the human body.

Classification according to directive 67/548/EEC:

C - Corrosive

N - Dangerous for the environment

R 22 Harmful if swallowed. R 35 Causes severe burns.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2. Label elements according to 67/548/EWG; 1999/45/EWG

Hazard pictograms





N

Risk phrases

R 22 Harmful if swallowed. R 35 Causes severe burns.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SAFETY DATA SHEET BATTERY 6V120Ah Date: 01.01.2023 Revision date: Page/pages 2/7

Safety phrases

S 24 Avoid contact with skin.

S 28 After contact with skin, wash immediately with plenty of water.

S 36/37 Wear suitable protective clothing and gloves.

S 61 Avoid release to the environment. Refer to special instructions/Safety data sheets.

S 62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Content: potassium hydroxide [WE 215-181-3]

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.1 Substances

3.2. Mixture

Chemical nature: a mixture of organic compounds added fragrance.

Hazardous ingredients:

i idaa i i i gi o di o i i o i					
Name of substance	Identifier	Classification 67/548/EWG	Classification 1272/2008	% weight	
potassium hydroxide	CAS 1310-58-3	Xn, C	Skin Corr. 1B H314	ok. 29,1	
	WE 215-181-3 Indeks. 019-002-00-8	R 35	Acute Tox 4 H302		
graphite	Nr CAS 7782-42-5	Xi	Eye Irrit. 2 H319	ok. 0,9	
	Nr WE 231-955-3 Nr indeks	R 36/37	STOT SE 3 H335		
manganese dioxide	Nr CAS 1313-13-9	Xn	Acute Tox. 4 H302	ok. 7,8	
J	Nr WE 215-202-6 Nr ind. 025-001-00-3	R 20/22	Acute Tox. 4 H332		
zinc powder, passived	CAS 7440-66-6	N	Aquatic Acute 1 H400	ok. 37,8	
	WE 231-175-3 Indeks 030-001-00-1	R 50-53	Aquatic Chronic 1 H410		

These ingredients do not have at the moment of the registration number because they are subject to the provisions of the transitional period in accordance with REACH.

SECTION 4: First aid measures

Warning: Under normal conditions of use, the battery is hermetically sealed.

Product has been constructed in such a way as not to pose any hazard to the user.

But we can not exclude a situation of stress, resulting from damage to the product. First aid should be granted in cases, if the components (battery, creating dangerous substances), they escaped in an uncontrolled manner and which came into direct contact with the human body.

Attention:

Immediately leave the contaminated area; take deep breaths of fresh air.

Lay the victim on his/her side with the head lower than the body.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Seek medical advice immediately (show the label where possible).

4.1. Description of first aid measures Inhalation:

- Immediately leave the contaminated area; take deep breaths of fresh air
- If the person breathe large amount of vapours, the exposed person on fresh air.
- Seek medical advice.

Ingestion:

- Immediately call a POISON CENTER or doctor/physician.
- If victim is conscious and alert, give 2-3 glasses of water to drink. Do not induce vomiting.
- Seek immediate medical advice.

	SAFE	SAFETY DATA SHEET	
BATTERY 6V120Ah			
Date: 01 01 2023	Revision date:	Page/pages 3/7	

Eve contact:

- Immediately flush eyes with large amounts of water for at least 15 minutes while holding the eyelids open to ensure that the entire surface is flushed. Do not put any ointments, oils or medication.
- · Seek medical advice.

Skin contact:

- Immediately wash with water and soap and rinse thoroughly. Wash contaminated clothing before reuse.
- If irritation persists, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available. Repeated or prolonged exposure is not known to aggravate medical condition.

4.3. Indication of any immediate medical attention and special treatment needed No additional information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing agents to extinguish fires in the neighborhood:

CO2, powder. Fight larger fires: alcohol resistant foam.

5.2. Special hazards arising from the substance or mixture

Combustion products formed during the combustion of potassium oxide, manganese oxide, zinc oxide, carbon oxides.

Protective equipment:

High temperatures may cause pressure build-up in closed containers.

During the thermal decomposition produced of harmful compounds.

Reduce vapour with water spray.

Explosive mixture:

Not applicable-non-explosive.

5.3. Advice for firefighters

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

Clothing resistant to high temperatures.

Independent self-contained breathing apparatus.

SECTION 6: Accidental release measures

Product (product) has been constructed in such a way as not to pose any hazard to the user. But we can not exclude a situation of stress, resulting from damage to the product.

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment (section 8).

Avoid contact with skin, eye and nose.

Do not breathe vapour.

Do not let this chemical enter the environment.

6.2. Environmental precautions

Avoid direct discharge into drains.

6.3. Methods and material for containment and cleaning up

Keep damaged packaging.

Take up mechanically and using natural sorbents (sawdust, dry sand).

Harvested from the environment to put the weight in a substitute container.

For cleaning use detergent and large amounts of water.

Do not use solvents or thinners

6.4. Reference to other sections

SAFETY DATA SHEET BATTERY 6V120Ah Date: 01.01.2023 Revision date: Page/pages 4/7

Personal Protection: Section 8 Methods of disposal: 13th Section.

SECTION 7: Handling and storage

Product (product) has been constructed in such a way as not to pose any hazard to the user. But we can not exclude a situation of stress, resulting from damage to the product. The procedure is provided in situations of displacement and manipulate larger amounts of product.

7.1. Precautions for safe handling

Recommendations when performing a product:

Prevent discharges into the environment.

Prevented from entering the sewer system

Storage in dry area.

Protect from direct sunlight.

Use the general rules of industrial hygiene.

Do not eat, drink or smoke when using this product.

Clothing exchange.

Wash contaminated clothing before reuse.

Contaminated clothing should not be beyond the workplace.

Before breaks wash hands and face.

7.2. Conditions for safe storage, including any incompatibilities

Warehouses must be designed to store corrosive substances.

Storage rooms must be ventilated.

Keep cool.

Use high-performance exhaust systems.

Keep separate from food, drink, feed.

Protect from sunlight and intense heat.

The open containers manipulated very carefully to avoid spillage of substances.

Read the data sheet.

Do not use the reading and understanding of all safety measures.

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

Product (product) has been constructed in such a way as not to pose any hazard to the user. But we can not exclude a situation of stress, resulting from damage to the product.

The procedure is provided in situations of production, transport and handling of larger amounts of product.

8.1. Control parameters

potassium hydroxide: WEL (Great Britain) Short-term value: 2 mg/m³

manganese dioxide: WEL (Great Britain) Long-term value: 5 mg/ m³ as Mn

Dust (graphite and Zinc-powder: WEL (Great Britain) Long-term value: 10 mg/m³

8.2. Exposure controls

Engineering Controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits for vapour.

If user operations generate vapour or mist, use ventilation to keep exposure to airborne contaminants above the exposure limit.

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with eyes and skin.

SAFETY DATA SHEET BATTERY 6V120Ah Date: 01.01.2023 Revision date: Page/pages 5/7



Eye protection (hot process)

Safety goggles.



Protection of hands

The selected protective gloves have to satisfy the specifications of UE Directive 89-689-EEC and standard EN 374 derived from it.

The glove material has to be impermeable and resistant to the substance.

Selection of glove material on consideration of the penetration times, rates of diffusion and the degradation.

Respiratory protection

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Body protection

In case of pouring big amounts.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form: Solid product.

Color: Consistent with the specification.

Odour:

pH:

Boiling Point:

Freezing Point:

Flash point:

Odourless.

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Flammability: Not applicable.

Upper falammability or Not applicable.

explosive limits:

Oxidizing properties: Not applicable.

Vapor pressure: No data.

Relative Density: 0,990 kg/l w 20°C

Water Solubility: Potassium hydroxide dissolves in water completely, well in alcohol

and glycerine.

Partition coefficient n-

octanol/water:

Not applicable.

Viscosity (20°C): Not applicable.

SECTION 10: Stability and reactivity

10.1. Reactivity

Potassium hydroxide reacts violently with acids.

Corrosive in presence of moisture and air to metals such as zinc, lead, aluminum, forming flammable hydrogen.

Zinc reacts with strong acids.

10.2. Chemical stability

Under normal storage and use of the substance is chemically stable.

10.3. Possibility of hazardous reactions

SAFETY DATA SHEET BATTERY 6V120Ah Date: 01.01.2023 Revision date: Page/pages 6/7

Reacts with acids.

10.4. Conditions to avoid

During contact with moisture or water heat is produced.

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Do not occur if used according to specifications.

SECTION 11: Toxicological information

Warning: Under normal conditions of use, the battery is hermetically sealed.

Product has been constructed in such a way as not to pose any hazard to the user.

But we can not exclude a situation of stress, resulting from damage to the product. First aid should be granted in cases, if the components (battery, creating dangerous substances), they escaped in an uncontrolled manner and which came into direct contact with the human body.

11.1. Acute toxicity

potassium hydroxide

LD50(oral, rat) = 365 mg/kg

graphite

LD50(oral, rat) > 2.000 mg/kg (OECD 401)

manganese dioxide

LD50(oral, rat) > 2.000 mg/kg (OECD 401)

11.2 Primary irritant effect

on the skin:

Causes severe burns.

on the eyes:

Causes severe burns.

ingestion:

Harmful if swallowed.

Causes severe burns.

inhalation:

Causes severe burns.

sensitization:

Not available.

other information: no data.

Delayed and chronic effects:

Cancirogencity:Not available.Mutagenicity:Not available.Reproductive toxicity:Not available.Narcosis:Not available.

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Ecotoxicity effects:

potassium hydroxide

LD50(aquatic organisms)) : 100 - 10 mg/l / 96 h

LD50(fish): >28,6 mg/l / 96 h

Harmful to fish with an increase in pH above 10.5.

graphite

LC50(Brachudanio rerio) > 5600 mg/l/96 h EC50(Daphnia magna) > 10000 mg/l/96 h

manganese dioxide

SAFETY DATA SHEET BATTERY 6V120Ah Date: 01.01.2023 Revision date: Page/pages 7/7

No particular risk to aquatic organisms.

zinc powder, passived

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

No data.

12.3. Bioaccumulative potential

No data.

12.4. Mobility in soil and water

No data.

12.5. Results of PBT and vPvB assessment

No data.

12.6. Other adverse effects

No data.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Wastes should be handled in accordance with local and national regulations.

Send to licensed reclaimer.

EC disposal code no:

16 06 04 Alkaline batteries (except 16 06 03)

Contaminated packaging:

EC codes:

15 01 02 Plastic packaging.

SECTION 14: Transport UN

Classification and labeling Transport on the transport, as indicated in the relevant provisions of the transport units of the prodct.

		ADR/RID	IMO/IMGD/	IATA-DGR
14.1.	UN number (UN number)	3028	3028	3028
14.2.	UN proper shipping name	DRY BATTE	RIES WITH SOLID	POTASSIUM
		H	YDROXIDE forme	ed
14.3.	Class (es) in transport threat	8	8	8
	Warning label No. 8	<u>Æ</u>	Æ.	
		8	8	8
14.4.	Packing Group	-	-	-
14.5.	Environmental hazards	No	Yes	No
14.6.	Classification Code	C11	C11	C11
	Special precautions for users			
	Not applicable			

Transport in bulk in accordance with Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

Not applicable

14.7.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

 Regulation (EC) No 1272/2008 (CLP) of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (REACH).

	SAFETY DATA SHEET		,	
BATTERY 6V120Ah				
Γ	Date:	01.01.2023	Revision date:	Page/pages 8/7

- REGULATION (EC) No 1907/2006 OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
- COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Product has been constructed in such a way as not to pose any hazard to the user. But we can not exclude a situation of stress, resulting from damage to the product.

BATTERY 6V120Ah

Technical data:

Chemical System: Zink - Air Alkaline

Nominal Voltage: 6V Nominal Capacity: 120 Ah

Nominal Dimension: 75 mm x 159 mm x 130 mm

Terminals: spiral spring Battery box: plastic Average Weight: 1750 g Volume: 1,55 dm3

Warning: Under normal conditions of use, the battery is hermetically sealed. Do not short

circuit the battery!!!

on out the batter yill						
The mean	The meaning of risk phrases from sections: 2 - 3					
R 20/22	Harmful by inhalation and if swallowed.					
R 35	Causes severe burns.					
R 36/37	Irritating to eyes and respiratory system.					
R 50/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic					
	environment.					
H302	Acute Tox 4 Harmful if swallowed.					
H332	Acute Tox. 4 Harmful if inhaled.					
H314	Skin Corr. 1B Causes severe skin burns and eye damage.					
H319	Eye Irrit. 2 Causes serious eye irritation.					
H335	STOT SE 3 May cause respiratory irritation.					
H400	Aquatic Acute 1 Very toxic to aquatic life.					
H410	Aquatic Chronic 1 Very toxic to aquatic life with long lasting effects.					

This information is based on the present state of our knowledge, they are no assurance of product features and shall not establish a contractual relationship.

• Department issuing MSDS:

Abbreviations and Acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of

Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

PP: Severe Marine Pollutant

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

		SAFETY DATA SHEET		
BATTERY 6V120Ah				
Date:	01.01.2023	Revision date:	Page/pages 9/7	

Legend:

n.a. = Not applicable / n.a. = Grouting not / Not avail-able = Checked to / not k.D.v. = No data available • Data from the previous version changed:

The information in this safety data sheet is required pursuant to EC Directive 91/155/EEC and its amendments.

Note to readers

The information in this SDS is based on our current knowledge and the current legislation. The product shall not, without first obtaining written Instructions for purposes other than those mentioned in Section 1 purpose be used. It is always the user's responsibility to ensure compliance with statutory Provisions to ensure. The information in this Safety Data Sheet describing the safety requirements for our product. **Safety data sheet was prepared by:**

Systemix Sp. z o.o., ul. Lubichowska 176A, 83-200 Starogard Gd.

Version: 1